

Testing ../modules/override_node_options

....

Time: 2.54 minutes, Memory: 6.00MB

OK (4 tests, 65 assertions)

docker@cli:/var/www/core\$

DRUPAL TESTING WORKSHOP

SEPTEMBER 2018

WHY WRITE TESTS?

WHY WRITE TESTS?

- ▶ Catch bugs earlier
- ▶ Piece of mind
- ▶ Prevent regressions
- ▶ Write less code
- ▶ Documentation
- ▶ Drupal core requirement - <https://www.drupal.org/core/gates#testing>
- ▶ More important with regular D8 releases

**HAVING TESTS DOES NOT MEAN
THERE WILL BE NO BUGS**

**TESTING MAY ADD TIME NOW
BUT SAVE MORE TIME IN THE FUTURE**

TESTING IN DRUPAL

- ▶ **Drupal 7** - Simpletest (testing) module provided as part of core
- ▶ **Drupal 8** - PHPUnit added as a core dependency
- ▶ **PHPUnit Initiative** - Simpletest to be deprecated and removed

EXERCISE 1

LOCAL SITE SETUP

DOCKSAL

- ▶ Docker based local development environment
- ▶ Microserve standard
- ▶ Open source
- ▶ Per site configuration and customisation
- ▶ fin CLI, Apache, MySQL, Solr, Varnish, Mailhog, PHPMyAdmin etc
- ▶ Virtualbox or native Docker
- ▶ Can slow down tests
- ▶ Provides consistency


- ▶ <https://github.com/opdavies/drupal-testing-workshop>
- ▶ <https://docksal.io/installation>
- ▶ `git clone`
- ▶ `fin init`
- ▶ <http://drupaltest.docksal>


EXERCISE 2

RUNNING TESTS

OPTION 1

SIMPLETEST MODULE (UI)





Running tests | Drupal Testing x Oliver

drupaltest.docksal/batch?id=3&op=start


Manage Shortcuts admin

Content Structure Appearance Extend Configuration People Reports Help

Running tests ☆

Processing test 1 of 4 – *Drupal\Tests\phpunit_example\Functional\PHPUnitExampleMenuTest*. 0%

Waiting for drupaltest.docksal...



Running tests | Drupal Testing x Oliver

drupaltest.docksal/batch?id=3&op=start

Manage Shortcuts admin


Content Structure Appearance Extend Configuration People Reports Help

Running tests ☆


Processed test 1 of 4 – *Drupal\Tests\phpunit_example\Functional\PHPUnitExampleMenuTest*.

Overall results: 2 passes, 0 fails, 0 exceptions

- *Drupal\Tests\phpunit_example\Functional\PHPUnitExampleMenuTest*: 2 passes, 0 fails, 0 exceptions



25%



Test result | Drupal Testing  Oliver

drupaltest.docksः/admin/config/development/testing/results/1         

Back to site Manage Shortcuts admin

Content Structure Appearance Extend Configuration People Reports Help

Test result

Home » Administration » Configuration » Development » Testing

✓ The test run finished in 1 min 19 sec.

ACTIONS

Filter: All (4)  Run tests Return to list

RESULTS

34 passes, 0 fails, 0 exceptions

- ▶ Drupal\Tests\phpunit_example\Functional\PHPUnitExampleMenuTest
- ▶ Drupal\Tests\phpunit_example\Unit\AddClassTest
- ▶ Drupal\Tests\phpunit_example\Unit\DisplayManagerTest
- ▶ Drupal\Tests\phpunit_example\Unit\ProtectedPrivatesTest

Test result | Drupal Testing  Oliver

drupaltest.docksal/admin/config/development/testing/results/1

Back to site Manage Shortcuts admin

Content Structure Appearance Extend Configuration People Reports Help

Drupal\Tests\phpunit_example\Unit\AddClassTest

AddClass units tests.
27 passes, 0 fails, 0 exceptions

| MESSAGE | GROUP | FILENAME | LINE | FUNCTION | STATUS |
|---------|-------|------------------|------|-----------------------------------------------------------------------------------------------|--------|
| | Other | AddClassTest.php | 46 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAdd() | ✓ |
| | Other | AddClassTest.php | 87 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithDataProvider with data set #0() | ✓ |
| | Other | AddClassTest.php | 87 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithDataProvider with data set #1() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #0() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #1() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #2() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #3() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #4() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #5() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #6() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #7() | ✓ |
| | Other | AddClassTest.php | 114 | Drupal\Tests\phpunit_example\Unit\AddClassTest->testAddWithBadDataProvider with data set #8() | ✓ |

OPTION 2

COMMAND LINE

PREREQUISITE (CREATING A PHPUIT.XML FILE)

- ▶ Configures PHPUnit
- ▶ Needed to run some types of tests
- ▶ Ignored by Git by default
- ▶ Copy `core/phpunit.xml.dist` to `core/phpunit.xml`
- ▶ Add and change as needed
 - ▶ `SIMPLETEST_BASE_URL`, `SIMPLETEST_DB`,
`BROWSERTEST_OUTPUT_DIRECTORY`
 - ▶ `stopOnFailure="true"`

```
cd web
```

```
./vendor/bin/phpunit -c core \
modules/contrib/examples/phpunit_example
```

```
cd web/core
```

```
../../vendor/bin/phpunit \
./modules/contrib/examples/phpunit_example
```

PRO-TIP: ADD PATHS TO \$PATH

```
# ~/.zshrc
```

```
export PATH=$HOME/bin:/usr/local/bin:$PATH
```

```
export PATH=vendor/bin:$PATH
```

```
export PATH=../vendor/bin:$PATH
```

```
export PATH=node_modules/.bin:$PATH
```

OPTION 2

CLI WITH DOCKSAL

```
fin bash
```

```
cd web
```

```
./vendor/bin/phpunit -c core \  
modules/contrib/examples/phpunit_example
```

```
fin bash
```

```
cd web/core
```

```
../../../../../vendor/bin/phpunit \  
./modules/contrib/examples/phpunit_example
```

OPTION 3

DOCKSAL PHUNIT ADDON

- ▶ Custom Docksal command
- ▶ Submitted to the Docksal addons repo
- ▶ `fin addon install phpunit`
- ▶ Wrapper around `phpunit` command
- ▶ Copies a stub `phpunit.xml` file if exists, or duplicates `phpunit.xml.dist`
- ▶ Shorter command, combines two actions

```
fin phpunit web/modules/contrib/examples/phpunit_example
```

Copying stubs from /var/www/.docksal/addons/phpunit/stubs

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/contrib/examples/phpunit_example

.....

34 / 34 (100%)

Time: 46.8 seconds, Memory: 6.00MB

OK (34 tests, 41 assertions)

```
fin phpunit web/modules/contrib/examples/phpunit_example
```

```
Copying /var/www/web/core/phpunit.xml.dist to /var/www/web/core/phpunit.xml.  
Please edit it's values as needed and re-run 'fin phpunit'.
```

```
fin phpunit web/modules/contrib/examples/phpunit_example
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

```
Testing web/modules/contrib/examples/phpunit_example
```

```
.....
```

34 / 34 (100%)

Time: 48.62 seconds, Memory: 6.00MB

OK (34 tests, 41 assertions)

OPTION 4

IDE/TEXT EDITOR INTEGRATION

drupal-testing-workshop [~/Code/os/drupal-testing-workshop] - .../web/modules/contrib/examples/phpunit_example/tests/src/Functional/PHPUnitExampleMenuTest.php [drupal-testing-workshop]

Project

- js_example
- menu_example
- node_type_example
- page_example
- pager_example
- phpunit_example
 - src
 - templates
- tests
 - src
 - Functional
 - Unit
 - Subclasses
 - AddClassTest.php
 - DisplayManagerTest.php
 - ProtectedPrivatesTest.php
 - phpunit_example.info.yml
 - phpunit_example.links.menu.yml
 - phpunit_example.module
 - phpunit_example.routing.yml
- plugin_type_example

57 \$this->drupalGet(\$page);
58 \$this->assertLinkByHref(\$path);
59 }
60 }
61
62 /**
63 * Tests phpunit_example menus.
64 */
65 public function testPHPUnitExampleMenu() {
66 \$this->drupalGet('/examples/phpunit-example');
67 \$this->assertResponse(200, 'Description page exists.');//
68 }
69

Run: tests

Tests passed: 34 of 34 tests - 29 s 240 ms

Time: 46.62 seconds, Memory: 6.00MB

OK (34 tests, 41 assertions)

Process finished with exit code 0

- /var/www/web/modules/contrib/exa 29 s 240 ms
- Drupal\Tests\phpunit_example\F 29 s 60 ms
 - testPHPUnitExampleLink 15 s 570 ms
 - testPHPUnitExampleMenu 13 s 490 ms
- Drupal\Tests\phpunit_example\Unit\A 40 ms
- Drupal\Tests\phpunit_example\Unit\ 120 ms
 - testSimpleMockDisplayManager 120 ms
- Drupal\Tests\phpunit_example\Unit\P 20 ms
 - testPrivateAdd 10 ms
 - testPrivateAddBadData 0 ms
 - testProtectedAdd 10 ms
 - with data set #0 10 ms
 - testProtectedAddBadData 0 ms
 - with data set #0 0 ms

TYPES OF TESTS

FUNCTIONAL TESTS

- ▶ Tests functionality
- ▶ Interacts with database
- ▶ Full Drupal installation
- ▶ With/without JavaScript

FUNCTIONAL TESTS

- ▶ Slower to run
- ▶ Easiest to start with
- ▶ Provide most value

EXERCISE

LET'S WRITE A

FUNCTIONAL TEST

- ▶ Create a `web/modules/custom/workshop` directory
- ▶ Create a `workshop.info.yml` file

```
# workshop.info.yml
```

```
name: Drupal Testing Workshop
```

```
core: 8.x
```

```
type: module
```

- ▶ Create a `tests/src/Functional` directory
- ▶ Create an `ExampleFunctionalTest.php` file

```
// ExampleFunctionalTest.php

namespace Drupal\Tests\workshop\Functional;

use Drupal\Tests\BrowserTestBase;

class ExampleFunctionalTest extends BrowserTestBase {

}
```

```
// ExampleFunctionalTest.php
```

```
public function testExamplePageExists() {
```

```
}
```

```
// ExampleFunctionalTest.php  
  
public function test_example_page_exists() {  
}  
}
```

```
// ExampleFunctionalTest.php

/** @test */
public function example_page_exists() {

}
```

```
// ExampleFunctionalTest.php

/** @test */
public function example_page_exists() {
    // Arrange

    // Act

    // Assert
}
```

```
// ExampleFunctionalTest.php

/** @test */
public function example_page_exists() {
    // Given that I am an anonymous user.

    // When I go /blog.

    // I should see the blog page.
}
```

```
// ExampleFunctionalTest.php

/** @test */
public function example_page_exists() {
    $this->drupalGet('/example-one');

    $this->assertSession()->statusCodeEquals(200);
}
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing Drupal\Tests\workshop\Functional\ExampleFunctionalTest

Behat\Mink\Exception\ExpectationException : Current response status code is 404, but 200 expected.
/var/www/vendor/behat/mink/src/WebAssert.php:768
/var/www/vendor/behat/mink/src/WebAssert.php:130
/var/www/web/modules/custom/workshop/tests/src/Functional/ExampleFunctionalTest.php:14

Time: 18.2 seconds, Memory: 6.00MB

ERRORS!

Tests: 1, Assertions: 2, Errors: 1.

- ▶ Create a `drupaltest.routing.yml` file
- ▶ Create a Controller

```
# workshop.routing.yml

workshop.example:
  path: '/example-one'
  defaults:
    _controller: 'Drupal\workshop\Controller\ExampleController::index'
  requirements:
    _access: 'TRUE'
```

```
// src/Controller/ExampleController.php

namespace Drupal\workshop\Controller;

use Drupal\Core\Controller\ControllerBase;

class ExampleController extends ControllerBase {

  public function index() {
    return ['#markup' => $this->t('Drupal Testing Workshop')];
  }

}
```

```
class ExampleFunctionalTest extends BrowserTestBase {  
  
protected static $modules = ['workshop'];  
  
...  
}
```

KERNEL TESTS

- ▶ Integration tests
- ▶ Can install modules, interact with services, container, database
- ▶ Minimal Drupal bootstrap
- ▶ Faster than functional tests
- ▶ More setup required

EXERCISE

LET'S WRITE A

KERNEL TEST

- ▶ Create a `tests/src/Kernel` directory
- ▶ Create an `ExampleKernelTest.php` file
- ▶ Create a Service
- ▶ Use the service within the test to perform an action

```
// tests/src/Kernel/ExampleKernelTest.php

namespace Drupal\Tests\workshop\Kernel;

use Drupal\KernelTests\Core\Entity\EntityKernelTestCase;
use Drupal\user\Entity\User;

class ExampleKernelTest extends EntityKernelTestCase {

  public static $modules = ['workshop'];

  public function testUserDelete() {
  }

}
```

```
// tests/src/Kernel/ExampleKernelTest.php

public function testUserDelete() {
    $user = $this->createUser();

    $user_delete = \Drupal::service(UserDelete::class);
    $user_delete->delete($user);

    $user = $this->reloadEntity($user);

    $this->assertNull($user);
}
```

```
# workshop.services.yml
```

```
services:
```

```
  Drupal\workshop\Services\UserDelete: ~
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing Drupal\Tests\workshop\Kernel\ExampleKernelTest

```
Symfony\Component\DependencyInjection\Exception\ServiceNotFoundException : You have requested a non-existent service "Drupal\Tests\workshop\Kernel\UserDeleter".
/var/www/vendor/symfony/dependency-injection/ContainerBuilder.php:1043
/var/www/vendor/symfony/dependency-injection/ContainerBuilder.php:610
/var/www/vendor/symfony/dependency-injection/ContainerBuilder.php:588
/var/www/web/core/lib/Drupal.php:159
/var/www/web/modules/custom/workshop/tests/src/Kernel/ExampleKernelTest.php:24
```

Time: 7.06 seconds, Memory: 6.00MB

ERRORS!

Tests: 1, Assertions: 3, Errors: 1.

Process finished with exit code 2

```
// src/Services/UserDelete.php

namespace Drupal\workshop\Services;

use Drupal\Core\Session\AccountInterface;

class UserDelete {
    public function delete(AccountInterface $user) {
        user_delete($user->id());
    }
}
```

```
// tests/src/Kernel/ExampleKernelTest.php
```

```
namespace Drupal\Tests\workshop\Kernel;
```

```
use Drupal\workshop\Service\UserDelete;
```

```
use Drupal\KernelTests\Core\Entity\EntityKernelTestCase;
```

```
use Drupal\user\Entity\User;
```

```
...
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing Drupal\Tests\workshop\Kernel\ExampleKernelTest

```
Drupal\Core\Entity\EntityStorageException : SQLSTATE[HY000]: General error: 1 no such table: test89378988.users_data: DELETE FROM {users_data}
WHERE uid IN (:db_condition_placeholder_0); Array
(
    [:db_condition_placeholder_0] => 1
)
```

```
/var/www/web/core/lib/Drupal/Core/Entity/Sql/SqlContentEntityStorage.php:777
/var/www/web/core/includes/entity.inc:281
/var/www/web/core/modules/user/user.module:878
/var/www/web/core/modules/user/user.module:865
/var/www/web/modules/custom/workshop/src/Services/UserDelete.php:10
/var/www/web/modules/custom/workshop/tests/src/Kernel/ExampleKernelTest.php:25
```

Caused by

```
Drupal\Core\Database\DatabaseExceptionWrapper: SQLSTATE[HY000]: General error: 1 no such table: test89378988.users_data: DELETE FROM {users_data}
WHERE uid IN (:db_condition_placeholder_0); Array
(
    [:db_condition_placeholder_0] => 1
)
```

Time: 6.55 seconds, Memory: 6.00MB

ERRORS!

Tests: 1, Assertions: 3, Errors: 1.

Process finished with exit code 2

```
// tests/src/Kernel/ExampleKernelTest.php

protected function setUp() {
    parent::setUp();

    $this->installSchema('user', ['users_data']);
}
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing Drupal\Tests\workshop\Kernel\ExampleKernelTest

Time: 7.38 seconds, Memory: 6.00MB

OK (1 test, 5 assertions)

Process finished with exit code 0

UNIT TESTS

- ▶ Tests PHP logic
- ▶ No database interaction
- ▶ Fast to run
- ▶ Tightly coupled
- ▶ Mocking dependencies
- ▶ Hard to refactor

EXERCISE

LET'S WRITE A

UNIT TEST

```
// tests/src/Unit/Services/ExampleUnitTest.php

namespace Drupal\Tests\workshop\Unit;

use Drupal\Tests\UnitTestCase;

class ExampleUnitTest extends UnitTestCase {

  public function testAdd() {
    $this->assertEquals(5, (new Calculator(3))->add(2)->calculate());
  }
}
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing Drupal\Tests\workshop\Unit\ExampleUnitTest

Error : Class 'Drupal\Tests\workshop\Unit\Calculator' not found
/var/www/web/modules/custom/workshop/tests/src/Unit/Services/ExampleUnitTest.php:10

Time: 5.13 seconds, Memory: 6.00MB

ERRORS!

Tests: 1, Assertions: 0, Errors: 1.

```
// src/Services/Calculator.php

namespace Drupal\workshop\Services;

class Calculator {

  private $total;

  public function __construct($value) {
    $this->total = $value;
  }

  public function add($value) {
    $this->total += $value;

    return $this;
  }

  public function calculate() {
    return $this->total;
  }

}
```

```
// tests/src/Unit/Services/ExampleUnitTest.php
```

```
namespace Drupal\Tests\workshop\Unit;
```

```
use Drupal\workshop\Services\Calculator;
```

```
use Drupal\Tests\UnitTestCase;
```

```
...
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing Drupal\Tests\workshop\Unit\ExampleUnitTest


Time: 4.55 seconds, Memory: 4.00MB

OK (1 test, 1 assertion)

TEST DRIVEN DEVELOPMENT (TDD)

TEST DRIVEN DEVELOPMENT

- ▶ Write a failing test
- ▶ Write code until passes
- ▶ Refactor
- ▶ Repeat



HOW I WRITE TESTS - "OUTSIDE IN"

- ▶ Start with functional tests
- ▶ Drop down to kernel or unit tests where needed
- ▶ Programming by wishful thinking
- ▶ Write comments first, then fill in the code
- ▶ Sometimes write assertions first

EXERCISE

LET'S BUILD A BLOG USING

TEST DRIVEN DEVELOPMENT

ACCEPTANCE CRITERIA

- ▶ As a site visitor
- ▶ I want to see a list of published articles at /blog
- ▶ Ordered by post date

TASKS

- ▶ Ensure the blog page exists
- ▶ Ensure only published articles are shown
- ▶ Ensure the articles are shown in the correct order

IMPLEMENTATION

- ▶ Use views module
- ▶ Do the minimum amount at each step, make no assumptions, let the tests guide us
- ▶ Start with functional test

STEP 1

CREATE THE MODULE

```
# tdd_blog.info.yml
```

```
name: 'TDD Blog'
```

```
core: '8.x'
```

```
type: 'module'
```

STEP 2

ENSURE THE BLOG PAGE EXISTS

```
<?php

// tests/src/Functional/BlogPageTest.php

namespace Drupal\Tests\tdd_blog\Functional;

use Drupal\Tests\BrowserTestBase;

class BlogPageTest extends BrowserTestBase {

protected static $modules = ['tdd_blog'];

public function testBlogPageExists() {
$this->drupalGet('/blog');

$this->assertSession()->statusCodeEquals(200);
}

}
```



```
<?php

// tests/src/Functional/BlogPageTest.php

namespace Drupal\Tests\tdd_blog\Functional;

use Drupal\Tests\BrowserTestBase;

class BlogPageTest extends BrowserTestBase {

protected static $modules = ['tdd_blog'];

public function testBlogPageExists() {
$this->drupalGet('/blog');

$this->assertSession()->statusCodeEquals(200);
}

}
```

```
<?php

// tests/src/Functional/BlogPageTest.php

namespace Drupal\Tests\tdd_blog\Functional;

use Drupal\Tests\BrowserTestBase;

class BlogPageTest extends BrowserTestBase {

protected static $modules = ['tdd_blog'];

public function testBlogPageExists() {
$this->drupalGet('/blog');

$this->assertSession()->statusCodeEquals(200);
}

}
```

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

```
Testing modules/custom/tdd_blog
```

```
E
```

```
1 / 1 (100%)
```

```
Time: 19.31 seconds, Memory: 6.00MB
```

```
There was 1 error:
```

```
1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
Behat\Mink\Exception\ExpectationException: Current response status code is 404, but 200 expected.
```

```
/var/www/vendor/behat/mink/src/WebAssert.php:768
```

```
/var/www/vendor/behat/mink/src/WebAssert.php:130
```

```
/var/www/web/modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php:13
```

```
ERRORS!
```

```
Tests: 1, Assertions: 3, Errors: 1.
```

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

Testing modules/custom/tdd_blog

E

1 / 1 (100%)

Time: 19.31 seconds, Memory: 6.00MB

There was 1 error:

```
1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
Behat\Mink\Exception\ExpectationException: Current response status code is 404, but 200 expected.
```

/var/www/vendor/behat/mink/src/WebAssert.php:768

/var/www/vendor/behat/mink/src/WebAssert.php:130

/var/www/web/modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php:13

ERRORS!

Tests: 1, Assertions: 3, Errors: 1.

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

Testing modules/custom/tdd_blog

E

1 / 1 (100%)

Time: 19.31 seconds, Memory: 6.00MB

There was 1 error:

1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
Behat\Mink\Exception\ExpectationException: Current response status code is 404, but 200 expected.

/var/www/vendor/behat/mink/src/WebAssert.php:768

/var/www/vendor/behat/mink/src/WebAssert.php:130

/var/www/web/modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php:13

ERRORS!

Tests: 1, Assertions: 3, Errors: 1.

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

```
Testing modules/custom/tdd_blog
```

```
E
```

```
1 / 1 (100%)
```

```
Time: 19.31 seconds, Memory: 6.00MB
```

```
There was 1 error:
```

```
1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
Behat\Mink\Exception\ExpectationException: Current response status code is 404, but 200 expected.
```

```
/var/www/vendor/behat/mink/src/WebAssert.php:768
```

```
/var/www/vendor/behat/mink/src/WebAssert.php:130
```

```
/var/www/web/modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php:13
```

```
ERRORS!
```

```
Tests: 1, Assertions: 3, Errors: 1.
```

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

```
Testing modules/custom/tdd_blog
```

```
E
```

```
1 / 1 (100%)
```

```
Time: 19.31 seconds, Memory: 6.00MB
```

```
There was 1 error:
```

```
1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
Behat\Mink\Exception\ExpectationException: Current response status code is 404, but 200 expected.
```

```
/var/www/vendor/behat/mink/src/WebAssert.php:768
```

```
/var/www/vendor/behat/mink/src/WebAssert.php:130
```

```
/var/www/web/modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php:13
```

```
ERRORS!
```

```
Tests: 1, Assertions: 3, Errors: 1.
```

- ▶ The view has not been created
- ▶ Create a new view
- ▶ Set the path
- ▶ Export the config
- ▶ Copy it into the module's config/install directory

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

```
Testing modules/custom/tdd_blog
```

```
E 1 / 1 (100%)
```

```
Time: 16.02 seconds, Memory: 6.00MB
```

```
There was 1 error:
```

```
1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
```

```
Drupal\Core\Config\UnmetDependenciesException: Configuration objects provided by <em class="placeholder">tdd_blog</em>
have unmet dependencies: <em class="placeholder">views.view.blog (node.type.article, node, views)</em>
```

```
/var/www/web/core/lib/Drupal/Core/Config/UnmetDependenciesException.php:98
```

```
/var/www/web/core/lib/Drupal/Core/Config/ConfigInstaller.php:469
```

```
/var/www/web/core/lib/Drupal/Core/ProxyClass/Config/ConfigInstaller.php:132
```

```
/var/www/web/core/lib/Drupal/Core/Extension/ModuleInstaller.php:145
```

```
/var/www/web/core/lib/Drupal/Core/ProxyClass/Extension/ModuleInstaller.php:83
```

```
/var/www/web/core/lib/Drupal/Core/Test/FunctionalTestSetupTrait.php:437
```

```
/var/www/web/core/tests/Drupal/Tests/BrowserTestBase.php:1055
```

```
/var/www/web/core/tests/Drupal/Tests/BrowserTestBase.php:490
```

```
ERRORS!
```

```
Tests: 1, Assertions: 0, Errors: 1.
```

```
# tdd_blog.info.yml

name: 'TDD Dublin'
description: 'A demo module to show test driven module development.'
core: 8.x
type: module

dependencies:
  - 'drupal:node'
  - 'drupal:views'
```

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

```
Testing modules/custom/tdd_blog
E                                         1 / 1 (100%)
```

Time: 20 seconds, Memory: 6.00MB

There was 1 error:

```
1) Drupal\Tests\tdd_blog\Functional\BlogPageTest::testBlogPageExists
Drupal\Core\Config\UnmetDependenciesException: Configuration objects provided by <em class="placeholder">tdd_blog</em>
have unmet dependencies: <em class="placeholder">views.view.blog (node.type.article)</em>
```

```
/var/www/web/core/lib/Drupal/Core/Config/UnmetDependenciesException.php:98
/var/www/web/core/lib/Drupal/Core/Config/ConfigInstaller.php:469
/var/www/web/core/lib/Drupal/Core/ProxyClass/Config/ConfigInstaller.php:132
/var/www/web/core/lib/Drupal/Core/Extension/ModuleInstaller.php:145
/var/www/web/core/lib/Drupal/Core/ProxyClass/Extension/ModuleInstaller.php:83
/var/www/web/core/lib/Drupal/Core/Test/FunctionalTestSetupTrait.php:437
/var/www/web/core/tests/Drupal/Tests/BrowserTestBase.php:1055
/var/www/web/core/tests/Drupal/Tests/BrowserTestBase.php:490
```

ERRORS!

Tests: 1, Assertions: 0, Errors: 1.

- ▶ Add the article content type

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

Testing modules/custom/tdd_blog

.

1 / 1 (100%)

Time: 23.36 seconds, Memory: 6.00MB

OK (1 test, 3 assertions)

TASKS

- ▶ Ensure the blog page exists
- ▶ Ensure only published articles are shown
- ▶ Ensure the articles are shown in the correct order

STEP 3

ENSURE ONLY PUBLISHED ARTICLES ARE SHOWN

```
public function testOnlyPublishedArticlesAreShown() {  
    // Given I have a mixture of published and unpublished articles,  
    // as well as other types of content.  
  
    // When I view the blog page.  
  
    // I should only see the published articles.  
}
```

OPTION 1

FUNCTIONAL TESTS

```
// modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php

public function testOnlyPublishedArticlesAreShown() {
    // Given I have a mixture of published and unpublished articles,
    // as well as other types of content.
    $node1 = $this->drupalCreateNode(['type' => 'page', 'status' => 1]);
    $node2 = $this->drupalCreateNode(['type' => 'article', 'status' => 1]);
    $node3 = $this->drupalCreateNode(['type' => 'article', 'status' => 0]);

    // When I view the blog page.
    $this->drupalGet('/blog');

    // I should only see the published articles.
    $assert = $this->assertSession();
    $assert->pageTextContains($node2->label());
    $assert->pageTextNotContains($node1->label());
    $assert->pageTextNotContains($node3->label());
}
```

```
// modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php

public function testOnlyPublishedArticlesAreShown() {
    // Given I have a mixture of published and unpublished articles,
    // as well as other types of content.
    $node1 = $this->drupalCreateNode(['type' => 'page', 'status' => 1]);
    $node2 = $this->drupalCreateNode(['type' => 'article', 'status' => 1]);
    $node3 = $this->drupalCreateNode(['type' => 'article', 'status' => 0]);

    // When I view the blog page.
    $this->drupalGet('/blog');

    // I should only see the published articles.
    $assert = $this->assertSession();
    $assert->pageTextContains($node2->label());
    $assert->pageTextNotContains($node1->label());
    $assert->pageTextNotContains($node3->label());
}
```

```
// modules/custom/tdd_blog/tests/src/Functional/BlogPageTest.php

public function testOnlyPublishedArticlesAreShown() {
    // Given I have a mixture of published and unpublished articles,
    // as well as other types of content.
    $node1 = $this->drupalCreateNode(['type' => 'page', 'status' => 1]);
    $node2 = $this->drupalCreateNode(['type' => 'article', 'status' => 1]);
    $node3 = $this->drupalCreateNode(['type' => 'article', 'status' => 0]);

    // When I view the blog page.
    $this->drupalGet('/blog');

    // I should only see the published articles.
    $assert = $this->assertSession();
    $assert->pageTextContains($node2->label());
    $assert->pageTextNotContains($node1->label());
    $assert->pageTextNotContains($node3->label());
}
```

OPTION 2

KERNEL TESTS

```
<?php

namespace Drupal\Tests\tdd_blog\Kernel;

use Drupal\KernelTests\Core\Entity\EntityKernelTestCase;
use Drupal\Tests\node\Traits\NodeCreationTrait;

class BlogPageTest extends EntityKernelTestCase {

  use NodeCreationTrait;

  public static $modules = ['node'];

  public function testOnlyPublishedArticlesAreShown() {
    $this->createNode(['type' => 'page', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 0]);
  }

}
```

```
<?php

namespace Drupal\Tests\tdd_blog\Kernel;

use Drupal\KernelTests\Core\Entity\EntityKernelTestCase;
use Drupal\Tests\node\Traits\NodeCreationTrait;

class BlogPageTest extends EntityKernelTestCase {

  use NodeCreationTrait;

  public static $modules = ['node'];

  public function testOnlyPublishedArticlesAreShown() {
    $this->createNode(['type' => 'page', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 0]);
  }

}
```



```
<?php

namespace Drupal\Tests\tdd_blog\Kernel;

use Drupal\KernelTests\Core\Entity\EntityKernelTestCase;
use Drupal\Tests\node\Traits\NodeCreationTrait;

class BlogPageTest extends EntityKernelTestCase {

  use NodeCreationTrait;

  public static $modules = ['node'];

  public function testOnlyPublishedArticlesAreShown() {
    $this->createNode(['type' => 'page', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 0]);
  }

}
```

```
docker@cli:/var/www/web$ ../../vendor/bin/phpunit -c core modules/custom/tdd_blog/tests/src/Kernel/
PHPUnit 6.5.8 by Sebastian Bergmann and contributors.
```

```
Testing modules/custom/tdd_blog/tests/src/Kernel/
```

```
E
```

```
1 / 1 (100%)
```

```
Time: 6.22 seconds, Memory: 6.00MB
```

```
There was 1 error:
```

```
1) Drupal\Tests\tdd_blog\Kernel\BlogPageTest::testOnlyPublishedArticlesAreShown
```

```
Error: Call to a member function id() on boolean
```

```
/var/www/web/core/modules/filter/filter.module:212
```

```
/var/www/web/core/modules/node/tests/src/Traits/NodeCreationTrait.php:73
```

```
/var/www/web/modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php:13
```

```
ERRORS!
```

```
Tests: 1, Assertions: 2, Errors: 1.
```

```
public function testOnlyPublishedArticlesAreShown() {  
    $this->installConfig(['filter']);  
  
    $this->createNode(['type' => 'page', 'status' => 1]);  
    $this->createNode(['type' => 'article', 'status' => 1]);  
    $this->createNode(['type' => 'article', 'status' => 0]);  
}
```

```
public function testOnlyPublishedArticlesAreShown() {  
    $this->installConfig(['filter']);  
  
    $this->createNode(['type' => 'page', 'status' => 1]);  
    $this->createNode(['type' => 'article', 'status' => 1]);  
    $this->createNode(['type' => 'article', 'status' => 0]);  
  
    $results = views_get_view_result('blog');  
}
```

...

```
public static $modules = ['node', 'tdd_blog', 'views'];

public function testOnlyPublishedArticlesAreShown() {
    $this->installConfig(['filter', 'tdd_blog']);

    $this->createNode(['type' => 'page', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 0]);

    $results = views_get_view_result('blog');

    $this->assertCount(1, $results);
    $this->assertEquals(2, $results[0]->entity->id());
}
```

...

```
public static $modules = ['node', 'tdd_blog', 'views'];

public function testOnlyPublishedArticlesAreShown() {
    $this->installConfig(['filter', 'tdd_blog']);

    $this->createNode(['type' => 'page', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 0]);

    $results = views_get_view_result('blog');

    $this->assertCount(1, $results);
    $this->assertEquals(2, $results[0]->entity->id());
}
```

...

```
public static $modules = ['node', 'tdd_blog', 'views'];

public function testOnlyPublishedArticlesAreShown() {
    $this->installConfig(['filter', 'tdd_blog']);

    $this->createNode(['type' => 'page', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 1]);
    $this->createNode(['type' => 'article', 'status' => 0]);

    $results = views_get_view_result('blog');

    $this->assertCount(1, $results);
    $this->assertEquals(2, $results[0]->entity->id());
}
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/custom/tdd_blog/tests/src/Kernel

F 1 / 1 (100%)

Time: 2.16 seconds, Memory: 6.00MB

There was 1 failure:

1) Drupal\Tests\tdd_blog\Kernel\BlogPageTest::testOnlyPublishedArticlesAreShown

Failed asserting that actual size 3 matches expected size 1.

/Users/opdavies/Code/drupal-testing-workshop/web/modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php:23

FAILURES!

Tests: 1, Assertions: 4, Failures: 1.

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/custom/tdd_blog/tests/src/Kernel

F 1 / 1 (100%)

Time: 2.16 seconds, Memory: 6.00MB

There was 1 failure:

1) Drupal\Tests\tdd_blog\Kernel\BlogPageTest::testOnlyPublishedArticlesAreShown

Failed asserting that actual size 3 matches expected size 1.

/Users/opdavies/Code/drupal-testing-workshop/web/modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php:23

FAILURES!

Tests: 1, Assertions: 4, Failures: 1.

- ▶ There are no filters on the view
- ▶ Add the filters
- ▶ Export and save the view

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/custom/tdd_blog/tests/src/Kernel

.

1 / 1 (100%)

Time: 2.02 seconds, Memory: 6.00MB

OK (1 test, 6 assertions)

TASKS

- ▶ Ensure the blog page exists
- ▶ Ensure only published articles are shown
- ▶ Ensure the articles are shown in the correct order

STEP 4

ENSURE THE ARTICLES ARE ORDERED BY DATE

```
// modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php

public function testArticlesAreOrderedByDate() {
    // Given that I have numerous articles with different post dates.

    // When I go to the blog page.

    // The articles are ordered by post date.

}
```

```
// modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php

public function testArticlesAreOrderedByDate() {
    // Given that I have numerous articles with different post dates.
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 day')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 month')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+3 days')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 hour')->getTimestamp()]);

    // When I go to the blog page.

    // The articles are ordered by post date.
}
```

```
$this->createNode([
    'type' => 'article',
    'created' => (new \DateTime())->modify('+1 day')->getTimestamp(),
]);
```

```
// modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php

public function testArticlesAreOrderedByDate() {
    // Given that I have numerous articles with different post dates.
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 day')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 month')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+3 days')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 hour')->getTimestamp()]);

    // When I go to the blog page.
    $results = views_get_view_result('blog');

    // The articles are ordered by post date.
}
```

```
// modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php

public function testArticlesAreOrderedByDate() {
    // Given that I have numerous articles with different post dates.
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 day')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 month')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+3 days')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 hour')->getTimestamp()]);

    // When I go to the blog page.
    $results = views_get_view_result('blog');

    $nids = array_map(function(ResultRow $result) {
        return $result->entity->id();
    }, $results);

    // The articles are ordered by post date.
}
```

```
// modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php

public function testArticlesAreOrderedByDate() {
    // Given that I have numerous articles with different post dates.
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 day')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 month')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+3 days')->getTimestamp()]);
    $this->createNode(['type' => 'article', 'created' => (new \DateTime())->modify('+1 hour')->getTimestamp()]);

    // When I go to the blog page.
    $results = views_get_view_result('blog');

    $nids = array_map(function(ResultRow $result) {
        return $result->entity->id();
    }, $results);

    // The articles are ordered by post date.
    $this->assertEquals([4, 1, 3, 2], $nids);
}
```

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/custom/tdd_blog/tests/src/Kernel

F

1 / 1 (100%)

Time: 1.42 seconds, Memory: 6.00MB

There was 1 failure:

1) Drupal\Tests\tdd_blog\Kernel\BlogPageTest::testArticlesAreOrderedByDate

Failed asserting that two arrays are equal.

--- Expected

+++ Actual

@@ @@

Array (

- 0 => 4

- 1 => 1

- 2 => 3

- 3 => 2

+ 0 => '3'

+ 1 => '2'

+ 2 => '4'

+ 3 => '1'

/Users/opdavies/Code/drupal-testing-workshop/web/core/tests/Drupal/KernelTests/KernelTestBase.php:1114

/Users/opdavies/Code/drupal-testing-workshop/web/modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php:43

FAILURES!

Tests: 1, Assertions: 4, Failures: 1.

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/custom/tdd_blog/tests/src/Kernel

F

1 / 1 (100%)

Time: 1.42 seconds, Memory: 6.00MB

There was 1 failure:

1) Drupal\Tests\tdd_blog\Kernel\BlogPageTest::testArticlesAreOrderedByDate

Failed asserting that two arrays are equal.

--- Expected

+++ Actual

@@ @@

Array (

- 0 => 4

- 1 => 1

- 2 => 3

- 3 => 2

+ 0 => '3'

+ 1 => '2'

+ 2 => '4'

+ 3 => '1'

/Users/opdavies/Code/drupal-testing-workshop/web/core/tests/Drupal/KernelTests/KernelTestBase.php:1114

/Users/opdavies/Code/drupal-testing-workshop/web/modules/custom/tdd_blog/tests/src/Kernel/BlogPageTest.php:43

FAILURES!

Tests: 1, Assertions: 4, Failures: 1.

- ▶ There is no sort order defined on the view
- ▶ Add the sort order
- ▶ Re-export the view

PHPUnit 6.5.8 by Sebastian Bergmann and contributors.

Testing web/modules/custom/tdd_blog/tests/src/Kernel

.

1 / 1 (100%)

Time: 1.74 seconds, Memory: 6.00MB

OK (1 test, 5 assertions)

TASKS

- ▶ Ensure the blog page exists
- ▶ Ensure only published articles are shown
- ▶ Ensure the articles are shown in the correct order

QUESTIONS?

THANKS