

Getting (Your Data) into Drupal 8

opdavies

- Web Developer and System Administrator
- Senior Drupal Developer, Appnovation
- Drupal core contributor, mentor, contrib module maintainer
- Drupal Bristol, PHPSW, DrupalCamp Bristol co-organiser

Drupal 6 -> 7

Upgrade Path (Core)

- Replace files in-place, run updates
- Legacy data carried into new site

Migration (contrib)

- Provided by `migrate` and `migrate_d2d` modules
- Start from scratch, import data
- Provide base classes to extend

Configuring a Migration

```
// my_migration_module.migrate.inc

function my_migration_module_migrate_api() {
  return array(
    'api' => 2,
    'groups' => array(
      'beer' => array(
        'title' => t('Beer Imports')
      ),
      'wine' => array(
        'title' => t('Wine Imports')
      ),
    )
  )
}
```

Configuring a Migration

```
// my_migration_module.migrate.inc  
  
...  
  
'migrations' => array(  
  'BeerTerm' => array(  
    'class_name' => 'BeerTermMigration',  
    'group_name' => 'beer',  
  ),  
  'BeerUser' => array(  
    'class_name' => 'BeerUserMigration',  
    'group_name' => 'beer',  
  ),  
)
```

Adding a Migration

```
class BeerTermMigration extends BasicExampleMigration {  
    ...  
  
    $this  
        ->addFieldMapping('parent_name', 'style_parent')  
        ->description(t('The incoming style_parent field is the name of the term parent'));  
  
  
    $this->addFieldMapping(NULL, 'region')  
        ->description('Will a field be added to the vocabulary for this?')  
        ->issueGroup(t('Client Issues'))  
        ->issuePriority(MigrateFieldMapping::ISSUE_PRIORITY_MEDIUM)  
        ->issueNumber(770064);  
  
    ...  
}
```

Migrations in Drupal 7

- A lot of verbose PHP code
- Nested arrays
- Descriptive, but long method names

Drupal 8

D8 Migrate

- No upgrade path.
- `migrate`, `migrate_drupal`, `migrate_drupal_ui` modules in core.
- Additional modules in contrib.
- PHP classes, annotations, YAML

► **CORE**

▼ **CORE (EXPERIMENTAL)**

BigPipe

► Sends pages using the BigPipe technique that allows browsers to show them much faster.

Content Moderation

► Provides moderation states for content

Datetime Range

► Provides the ability to store end dates.

Inline Form Errors

► Adds WCAG 2.0 accessibility compliance for web form errors, but some functionality might not work.

Migrate

► Handles migrations

Migrate Drupal

► Contains migrations from older Drupal versions.

Migrate Drupal UI

► Provides a user interface for migrating from older Drupal versions.

Experimental Modules

*Like other features, new experimental modules can only be added in minor releases, but unlike other features, they may change between patch releases while they are still experimental, **including API changes.***

– <https://www.drupal.org/core/experimental>

Building a Source Database

Sculpin => MySQL

- Data extracted from YAML.
- Imported into MySQL database.
- Tables
 - venues
 - events
 - speakers
 - talks

Venues

venues:

sift:

name: 'Sift Digital'

website: <http://www.siftdigital.com/>

proctors:

name: 'Proctor & Stevenson'

website: <http://www.proctors.co.uk/>

| <input type="checkbox"/> Modify | id | name | website | old_id |
|---------------------------------|-----------|---------------------|---|----------------|
| <input type="checkbox"/> edit | 28 | Sift Digital | http://www.siftdigital.com/ | sift |
| <input type="checkbox"/> edit | 29 | Proctor & Stevenson | http://www.proctors.co.uk/ | proctors |
| <input type="checkbox"/> edit | 30 | The Elephant | http://www.theelephantbristol.co.uk/ | the_elephant |
| <input type="checkbox"/> edit | 31 | Llandoger Trow | NULL | llandoger |
| <input type="checkbox"/> edit | 32 | Mothers Ruin | http://mothersruinbristol.weebly.com/ | mothers_ruin |
| <input type="checkbox"/> edit | 33 | The Urban Wood | http://www.theurbanwood.com/ | urban_wood |
| <input type="checkbox"/> edit | 34 | Golden Guinnea | http://www.thegoldenguinea.co.uk/ | golden_guinnea |
| <input type="checkbox"/> edit | 35 | Small Bar | http://www.smallbarbristol.com/ | small_bar |
| <input type="checkbox"/> edit | 36 | Temple Studios | http://www.templestudiosbristol.co.uk/ | temple_studios |

Events

events:

- title: 'First Meetup!'
date: '2011-04-19'
link: '<https://groups.drupal.org/node/141239>'
location: sift
- title: 'South West User Group May Meetup'
date: '2011-05-25'
link: '<https://groups.drupal.org/node/147324>'
location: proctors

| <input type="checkbox"/> Modify | id | name | date | link | venue_id |
|---------------------------------|-----------|---------------------------------------|-------------|---|-----------------|
| <input type="checkbox"/> edit | 63 | First Meetup! | 1303171200 | https://groups.drupal.org/node/141239 | 28 |
| <input type="checkbox"/> edit | 64 | South West User Group May Meetup | 1306281600 | https://groups.drupal.org/node/147324 | 29 |
| <input type="checkbox"/> edit | 65 | Bristol & South West September Meetup | 1315958400 | https://groups.drupal.org/node/173879 | 30 |
| <input type="checkbox"/> edit | 66 | October Meetup | 1317772800 | https://groups.drupal.org/node/176284 | 30 |
| <input type="checkbox"/> edit | 67 | November Meetup | 1320192000 | https://groups.drupal.org/node/182259 | 30 |
| <input type="checkbox"/> edit | 68 | Christmas Meal | 1323216000 | https://groups.drupal.org/node/193243 | 30 |
| <input type="checkbox"/> edit | 69 | January Meetup | 1326240000 | https://groups.drupal.org/node/199703 | 30 |
| <input type="checkbox"/> edit | 70 | February Meetup | 1328054400 | https://groups.drupal.org/node/206338 | 30 |
| <input type="checkbox"/> edit | 71 | March Meetup | 1331078400 | https://groups.drupal.org/node/210443 | 30 |
| <input type="checkbox"/> edit | 72 | April Meetup | 1333497600 | https://groups.drupal.org/node/220599 | 30 |
| <input type="checkbox"/> edit | 73 | May Meetup | 1335916800 | https://groups.drupal.org/node/227113 | 30 |

Adding the Source Database

```
// settings.local.php

$databases['default']['default'] = [
  'driver' => 'mysql',
  'host' => 'localhost',
  'database' => 'drupal',
  'username' => 'drupal',
  'password' => 'drupal',
];

$databases['migrate']['default'] = [
  'driver' => 'mysql',
  'host' => 'localhost',
  'database' => 'migrate',
  'username' => 'migrate',
  'password' => 'migrate',
];
```

Building a Custom Migration

Drupal 8 Module Structure

```
├── config
│   └── install
│       ├── migrate_plus.migration.event_node.yml
│       ├── migrate_plus.migration.venue_term.yml
│       └── migrate_plus.migration_group.drupalbristol.yml
├── drupalbristol_migrate.info.yml
└── drupalbristol_migrate.install
└── src
    └── Plugin
        └── migrate
            └── source
                ├── EventNode.php
                ├── SpeakerNode.php
                ├── TalkNode.php
                └── VenueTerm.php
```

drupalbristol_migrate.info.yml

```
name: 'Drupal Bristol Migrate'  
description: 'Migrate content from Sculpin.'  
type: module  
core: '8.x'  
package: 'Drupal Bristol'  
dependencies:  
  - drupal:migrate  
  - migrate_plus:migrate_plus  
  - migrate_tools:migrate_tools
```

Adding a Migration Group

```
# config/install/migrate_plus.migration_group.drupalbristol.yml  
  
id: drupalbristol  
label: 'Drupal Bristol'
```

Adding a Migration Source (1)

```
// src\Plugin\migrate\source\VenueTerm.php

namespace Drupal\drupalbristol_migrate\Plugin\migrate\source;

use Drupal\migrate\Plugin\migrate\source\SqlBase;

/**
 * Source plugin for speakers.
 *
 * @MigrateSource(id="venue_term")
 */
class VenueTerm extends SqlBase {
```

Adding a Migration Source (2)

...

```
public function query() {
    return $this
        ->select('venues', 'v')
        ->fields('v', ['id', 'name', 'website']);
}
```

Adding a Migration Source (3)

...

```
public function getIds() {
    return [
        'id' => [
            'type' => 'integer',
            'alias' => 'v'
        ]
    ];
}
```

Adding a Migration Source (4)

...

```
public function fields() {
    return [
        'id' => $this->t('ID of the venue'),
        'name' => $this->t('Name of the venue'),
    ];
}
```

Adding a Migration Source (5)

```
public function prepareRow(Row $row) {
    if ($parent::prepareRow($row) === FALSE) {
        return FALSE;
    }

    $speakerIds = $row->getSourceProperty('speaker_ids');

    // Explode comma separated speaker IDs into an array.
    $row->setSourceProperty('speaker_ids', explode(',', $speakerIds));
}
```

Adding a Migration

```
# config/install/migrate_plus.migration.venue_term.yml

id: venue_term
label: 'Venue terms'
migration_group: drupalbristol

source:
  plugin: venue_term

destination:
  plugin: entity:taxonomy_term

process:
  name: name
  vid:
    plugin: default_value
    default_value: venues
  field_website/uri: website
```

[Back to site](#)[Manage](#)[Shortcuts](#)[admin](#)[Content](#)[Structure](#)[Appearance](#)[Extend](#)[Configuration](#)[People](#)[Reports](#)[Help](#)

Comment types

Manage form and displays settings of comments.

Contact forms

Create and manage contact forms.

Content types

Create and manage fields, forms, and display settings for your content.

Display modes

Configure what displays are available for your content and forms.

Menus

Manage menus and menu links.

Migrations

Manage migration processes.



Taxonomy

Manage tagging, categorization, and classification of your content.

Views

Manage customized lists of content.

[Back to site](#)[Manage](#)[Shortcuts](#)[admin](#)[Content](#)[Structure](#)[Appearance](#)[Extend](#)[Configuration](#)[People](#)[Reports](#)[Help](#)

Migrations

[Home](#) » [Administration](#) » [Structure](#)

[+ Add migration group](#)

| MIGRATION GROUP | MACHINE NAME | DESCRIPTION | SOURCE TYPE | OPERATIONS |
|-----------------|---------------|-------------|-------------|-----------------------------------|
| Drupal Bristol | drupalbristol | | | List migrations ▾ |



Migrations ★

[Home](#) » [Administration](#) » [Structure](#) » [Migrations](#) » Edit migration group

| MIGRATION | MACHINE NAME | STATUS | TOTAL | IMPORTED | UNPROCESSED | MESSAGES | LAST IMPORTED |
|-----------|--------------|--------|-------|----------|-------------|----------|---------------|
| | event_node | Idle | 62 | 0 | 62 | 0 | |
| | speaker_node | Idle | 1 | 0 | 1 | 0 | |
| | talk_node | Idle | 1 | 0 | 1 | 0 | |
| | venue_term | Idle | 9 | 0 | 9 | 0 | |

migrate.dev/admin/structure/migrate/manage/drupalbristol/migrations/venue_term/source

Back to site Manage Shortcuts admin

Content Structure Appearance Extend Configuration People Reports Help

Source ★

[View](#) [Edit](#) [Messages](#) [Delete](#)

[Overview](#) [Source](#) [Process](#) [Destination](#)

Home » Administration » Structure » Migrations » Edit migration group » Migrations » Migration overview

SOURCE

Query

```
SELECT v.id AS id, v.name AS name, v.website AS website
FROM
{venues} v
```

| MACHINE NAME | DESCRIPTION |
|--------------|-------------------|
| id | ID of the venue |
| name | Name of the venue |

These are the fields available from the source of this migration task. The machine names listed here may be used as sources in the process pipeline.

Running a Migration

Running with Drush (1)

drush migrate-status

drush ms

Running with Drush (2)

```
drush migrate-import venue_term
```

```
drush migrate-import --group=drupalbristol
```

```
drush mi --all
```

Running with Drush (3)

```
drush migrate-rollback --group=drupalbristol
```

```
drush mr --group=drupalbristol
```

Running with Drush (4)

drush migrate-stop (mst)

drush migrate-reset-status (mrs)

Demo

Take Aways

- https://github.com/opdavies/drupalbristol_migrate
- Similar but different
- Migrate docs are excellent

Questions?