

Test Drive Twig with Sculpin

AKA Get Ready for Theming in Drupal 8

This Talk

- What is Sculpin, and why should I use it?
- How to install Sculpin
- How to build a Sculpin site
- How to do cool things with Twig



whoami

Oliver Davies (opdavies)

- Drupaler since 2007
- Senior Developer at Microserve
- Drupal 7 and 8 core contributor
- Contrib project maintainer
- User group, sprint, conference organiser



whoami

Oliver Davies (opdavies)

- **Sculpin** hobbyist
- **Twig** enthusiast
- Former **Jekyll** user



Sculpin

What is Sculpin?

- Static site generator
- Open source
- Written in **PHP**, based on **Symfony** components
- **CLI** tool, based on **Symfony Console**
- **Markdown/HTML/Twig** > **HTML**
- Awesome for **small sites**, **HTML prototypes** and **learning Twig**.

Why?

Why use a static site generator at all?

- Reduces duplication / D.R.Y.
- Better performance compared to dynamic sites
- Faster to develop (maybe?)

Similarities

Drupal 8's little brother

- Both use **YAML** and **Twig**
- Both have **content types**
- Both have **taxonomies**
- Both have **"fieldable entities"**

Getting Started

Installation and Configuration



Install

```
$ curl -O https://download.sculpin.io/sculpin.phar
```

```
$ chmod +x sculpin.phar
```

```
$ mv sculpin.phar /usr/local/bin/sculpin
```

<https://sculpin.io/download/>

Install

Alternatives

- Download via **Composer**
- Clone from **GitHub**
- Use **Sculpin Blog Skeleton** or **Sculpin Minimal**
- Use the **Ansible** role

Basic Site Structure

app/

config/

sculpin_kernel.yml

sculpin_site.yml

source/

_layouts/

default.html

index.md



Configure

app/config/sculpin_site.yml

```
title: Oliver Davies
```

source/_layouts/default.html

```
{{ site.title }}
```

Configure

app/config/sculpin_site_prod.yml

```
imports:
```

```
- sculpin_site.yml
```

```
url: http://www.oliverdavies.uk
```

```
google_analytics_tracking_code: UA-XXXXXX-1
```

Configure

source/_layouts/default.html

```
{% if site.google_analytics_tracking_code %}
```

```
...
```

```
{% endif %}
```

Content Types

`app/config/sculpin_kernel.yml`

```
sculpin_content_types:  
  posts:  
    permalink: blog/:slug_title/  
  talks:
```


Taxonomies

`app/config/sculpin_kernel.yml`

```
sculpin_content_types:  
  posts:  
    permalink: blog/:slug_title/  
    taxonomies: [ tags, categories ]  
  talks:
```

Taxonomies

source/_posts/2015-07-24-drupalcamp-north.md

title: DrupalCamp North

tags:

- drupalcamp
- drupalcamp-north

Taxonomies

source/_layouts/post.html

```
use: [ 'tags' ]
```

```
{% for tag in page.tags %}
```

```
  {{ tag }}
```

```
{% endfor %}
```

Themes (Experimental)

`app/config/sculpin_kernel.yml`

```
sculpin_theme:
```

```
  theme: opdavies/oliverdavies15
```

Bundles

Adding custom functionality.

They are a thing.

Build

```
$ sculpin generate
```

```
$ sculpin generate --server
```

```
$ sculpin generate --server --watch
```

```
$ sculpin generate --env=prod
```

Adding Content

Simplest Source File

source/index.md

Hello World

Simplest Source File

```
output_dev/  
  index.html
```

YAML Front Matter

```
layout: default
```

```
title: About
```

```
# Hello World
```

YAML Front Matter

```
layout: default
```

```
title: About
```

```
foo: bar
```

```
# Hello World
```

Twig

Layouts

source/_layouts/default.html

```
<body class="{% block body_classes %}">
  {% block content %}{% endblock %}
</body>
```

Blocks

source/about.html

```
{% block body_classes 'page--about' %}
```

```
{% block content %}
```

```
<p>Content</p>
```

```
{% endblock %}
```

Blocks

source/about.md

```
{% block body_classes 'page--about' %}
```

```
{% block content %}
```

Content

```
{% endblock %}
```

Template Inheritance

source/_layouts/post.html

```
{% extends 'default' %}
```

```
{% block content %}{% endblock %}
```


Partials

source/_partials/talk-listing-item.html

```
<li>
  {% if talk.link -%}<a href="{{ talk.link }}">{%-
endif -%}
  {{ talk.title }}
  {% if talk.link %}</a>{% endif %}
</li>
```

Partials

source/talks.html

```
<ul>
  {% for talk in page.talks %}
    {% include('talk-listing-item') %}
  {% endfor %}
</ul>
```

Partials

`source/_partials/head.html`

```
{% if page.meta.og %}  
  {% include "og" with { og: page.meta.og } %}  
{% endif %}
```

Twig

Tips & Tricks

Tips & Tricks

Filters

```
{{ foo|upper }}
```

```
{{ bar|lower }}
```

```
{{ page.excerpt|replace( { 'h2': 'h3' } ) }}
```

Tips & Tricks

Rendering objects and arrays

```
{{ site.drupalorg.url }}
```

Tips & Tricks

Loops

```
{% for meetup in site.meetups %}  
    {% if loop.first %}  
        ...  
    {% endif %}  
{% endfor %}
```

Tips & Tricks

Conditional logic

```
{% if site.foo == 'bar' %}  
    ...  
{% else %}  
    ...  
{% endif %}
```


Tips & Tricks

Conditional logic

```
{% set date = 'now' | date('Y') %}
```

```
{% for talk in page.talks if talk.date >= now %}
```

...

```
{% endfor %}
```

Tips & Tricks

Shorthand blocks

```
{% block body_classes %}page--blog page--blog__list  
{% endblock %}
```

```
{% block body_classes `page--blog page--blog__list`  
%}
```

Tips & Tricks

Block appending

```
{% block sidebar %}  
    {{ parent() }}  
{% endblock %}
```

Tips & Tricks

Whitespace

```
{% if site.foo == 'bar' -%}
```

```
...
```

```
{%- endif %}
```

Tips & Tricks

Spaceless

```
{% spaceless %}
```

...

```
{% endspaceless %}
```

Tips & Tricks

Raw output

```
{% raw %}
```

```
    {% if site.foo == 'bar' %} ... {% endif %}
```

```
{% endraw %}
```

Links

Useful Links

- <http://bit.ly/sculpin-twig-resources>

Questions

@opdavies